
## **FACTORY FURNITURE**





Soca Concrete Bench (0.6m, 1m, 2m & 3m)


TECHNICAL SHEET











Slats - FSC® certified hardwood with aluminium endcaps and spacers Frame - Stainless steel



Base - Exposed aggregate concrete (Limestone; Yellow granite; Blue granite; Black granite (Top L to Bot R) effects available

## Finishes

Timber - Untreated sanded finish as standard Stainless steel - Satin polished finish Concrete - Sealed (waterproofed and anti-graffiti)

## **Dimensions**

Metric L - 600mm | W - 610mm | H - 435mm | Imperial L - 1' 11½" | W - 2' 0" | H - 1' 5"

## Approx weight 315kg

## Foundation

1 no. pad 700 x 700 x 400 mm in C20 concrete (recommendation only)


## Handling


Please observe health & safety lifting guidelines. A forklift or crane will be required for off-loading and positioning of this product \*\*Lifting eyes not supplied\*\*


## Maintenance


Depends on usage and position. All elements will require cleaning annually. Stainless steel and concrete require no maintenance.











Slats - FSC® certified hardwood with aluminium endcaps and spacers Frame - Stainless steel



Base - Exposed aggregate concrete (Limestone; Yellow granite; Blue granite; Black granite (Top L to Bot R) effects available

## Finishes

Timber - Untreated sanded finish as standard Stainless steel - Satin polished finish Concrete - Sealed (waterproofed and anti-graffiti)

## **Dimensions**

Metric L - 1000mm | W - 610mm | H - 435mm | Imperial L - 3' 3½" | W - 2' 0" | H - 1' 5"

## Approx weight 521kg

## Foundation

1 no. pad  $1100 \times 700 \times 400$  mm in C20 concrete (recommendation only)


## Handling

Please observe health & safety lifting guidelines. A forklift or crane will be required for off-loading and positioning of this product \*\*Lifting eyes not supplied\*\*

#### Maintenance

Depends on usage and position. All elements will require cleaning annually. Stainless steel and concrete require no maintenance.











Slats - FSC® certified hardwood with aluminium endcaps and spacers Frame - Stainless steel



Base - Exposed aggregate concrete (Limestone; Yellow granite; Blue granite; Black granite (Top L to Bot R) effects available

## Finishes

Timber - Untreated sanded finish as standard Stainless steel - Satin polished finish Concrete - Sealed (waterproofed and anti-graffiti)

## **Dimensions**

Metric L - 2000mm | W - 610mm | H - 435mm | Imperial L - 6' 6½" | W - 2' 0" | H - 1' 5"

# Approx weight 1040kg

## Foundation

1 no. pad 2100 x 700 x 400 mm in C20 concrete (recommendation only)


## Handling

Please observe health & safety lifting guidelines. A forklift or crane will be required for off-loading and positioning of this product \*\*Lifting eyes not supplied\*\*

## Maintenance

Depends on usage and position. All elements will require cleaning annually. Stainless steel and concrete require no maintenance.





Slats - FSC® certified hardwood with aluminium endcaps and spacers Frame - Stainless steel



Base - Exposed aggregate concrete (Limestone; Yellow granite; Blue granite; Black granite (Top L to Bot R) effects available

## **Finishes**

Timber - Untreated sanded finish as standard Stainless steel - Satin polished finish Concrete - Sealed (waterproofed and anti-graffiti)

#### Dimensions

Metric L - 3000mm | W - 610mm | H - 435mm Imperial L - 9' 10" | W - 2' 0" | H - 1' 5"

#### Approx weight 1558kg

## Foundation

1 no. pad 3100 x 700 x 400 mm in C20 concrete (recommendation only)

## Handling

Please observe health & safety lifting guidelines. A forklift or crane will be required for off-loading and positioning of this product \*\*Lifting eyes not supplied\*\*

## Maintenance

Depends on usage and position. All elements will require cleaning annually. Stainless steel and concrete require no maintenance.

